LITERATURA ADICIONAL PARA LAS BRIOFITAS DE MEXICO

Claudio Delgadillo M.*

Desde la publicación de Literatura para las briofitas de México (Delgadillo M., C. 1969. Soc. Bot. Méx. Bol. 30: 127-135) han aparecido numerosas publicaciones sobre el mismo tema. Por otra parte, se han localizado citas bibliográficas previas a 1969 que no fueron incluidas en la primera lista. En vista del interés en la elaboración de una flora de musgos de México por Aaron J. Sharp y Frank D. Bowers con la colaboración de otros investigadores (Bryologist 77: 106, 1974) parece adecuado revisar los antecedentes sobre estudios briológicos en México. La lista anexa puede contribuir a obtener datos sobre distribución, nomenclatura y taxonomía de las briofitas mexicanas. La lista de 1969 deberá consultarse para tener un panorama más completo de las briofitas de este país.

- ANDERSON, L. E. 1971. Geographical relationships of the mosses of the Southern Appalachian Mountains. In P. C. Holt (ed.) The distributional history of the biota of the Southern Appalachians. Part II. Flora. Research Division Monograph 2. Virginia Polytechnic Institute and State University. Blacksburg, Va.
- and R. H. Zander. 1973. The mosses of the Southern Blue Ridge Province and their phytogeographic relationships. Jour. Elisha Mitchell Sci. Soc. 89: 15-60.
- ANDREWS, A. L. 1922. The status of *Gyrouneisia* in North America. Bryologist 25: 97-100.
- AUSTIN, C. F. 1875. New Hepaticae. Bull. Torrey Bot. Club 6: 4647.
- BARTRAM, E. B. 1927. Some Arizona mosses not previously reported from the United States. Bryologist 30: 45-50.
- 1933. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 8 Mosses of the Templeton Crocker Expedition collected by John Thomas Howell and list of the mosses known from the Galapagos Islands and from Cocos Island. Proc. Calif. Acad. Sci. 21: 75-86.

* Departamento de Botánica, Instituto de Biología, U.N.A.M., Ciudad Universitaria, México 20, D. F.

- 1946. New species and new combinations of Guatemalan mosses. Bryologist 49: 109-125.
- 1947. New species and new combinations of Guatemalan mosses II. Bryologist 50, 202-208.
- BESCHERELLE, E. 1874. Bryologie exotique. Revue. Bryol. 1: 40-43.
- BISCHLER, H. 1964. Le genre *Drepanolejeunea* Steph. en Amérique Centrale et Méridionale. Revue Bryol. Lichénol. 33: 15-179.
- 1967. Le genre *Drepanolejeunea* Stepr. en Amérique Centrale et Méridionale. II. Revue Bryol. Lichénol. 35: 95-134.
- 1969. Le genre *Leptolejeunea* (Spruce) Steph. en Amérique. Nova Hedwigia 17: 265-350.
- BIZOT, M. ET R. PORTIER DE LA VARDE. 1952. Contribution à l'étude du genre *Erythrodontium*. Revue Bryol. Lichénol. 21: 7-10.
- BOWERS, F. D. AND A. J. SHARP. 1968. *Conostomum pentastichum* in Costa Rica and Mexico. Revue Bryol. Lichénol. 36: 243-244.
- , A. J. SHARP AND H. ROBINSON. 1973. Additional mosses from Costa Rica and Mexico. Bryologist 76: 447-450.
- CASTLE, H 1937. A revision of the genus *Radula*. Introduction and part I. Subgenus Chlororadula. Ann. Bryol. 9: 13-56.
- 1939. A revision of the genus. *Radula*. Part II Subgenus Acroradula Ann. Bryol. 12: 21-47.
- 1959. A revision of the genus *Radula*. Part. II. Subgenus Acroradula. Section 3. Dichotomae. Jour. Hattori Bot. Lab. 21: 1-52.
- 1960. *Radula pallens* (Swartz) Dumortier, an unrecognized species of the leafy hepatics. Revue Bryol. Lichénol. 29: 10-25.
- 1963. A revision of the genus *Radula*. Part. II. Subgenus Acroradula. Section 6. Saccatae. Revue Bryol Lichénol. 32: 1-48.
- 1964. A revision of the genus *Radula*. Part. II. Subgenus Acroradula. Section 8. Acutilobae. Revue Bryol. Lichénol. 33: 185-210.
- 1964-1965. A revision of the genus *Radula*. Part. II. Subgenus Acroradula. Section 9. Densifoliae. Revue Bryol. Lichénol. 33: 328-398.
- 1966. A revision of the genus *Radula*. Part. II. Subgenus Acroradula. Section 10. Ampliatae. Revue Bryol. Lichénol. 34: 1-81.
- CLARK, L. 1953. Some hepaticae from the Galapagos, Cocos, and other Pacific coast isalnds. Proc. Calif. Acad. Sci. 4th. Ser. 27: 593-624.
- CROSBY, M. R. 1969. A revision of the tropical American moss genus *Pilotrichum*. Bryologist 72: 275-343.
- 1970. A study of *Groutiella apiculata* and *G. mucronifolia*. Bryologist 73: 607-611.

- CRUM, H. A. 1969. Nomenclatural notes on North American mosses. *Bryologist* 72: 240-246.
- 1972. Mosses of unusual interest from Baja California. *Madroño* 21: 403-404.
- DAVIS, H. B. 1936. Life and work of Cyrus Guernsey Pringle. University of Vermont, Burlington.
- DELGADILLO M., C. 1969. Prytogeography of alpine mosses from Mexico. Preliminary studies. M. S. thesis. The University of Tennessee, Knoxville. U.S.A.
- 1970. Two additions to the bryoflora of Mexico. *Bryologist* 73: 722-724.
- 1971. Phytogeographic studies on alpine mosses of Mexico. *Bryologist* 74: 331-346.
- AND D. H. VITT. 1971. New moss records from Mexico. *Madroño* 21: 99-102.
- DEL ROSARIO, R. M. 1966. A new species of *Asterella* from Mexico. *Rhodora* 68: 470-473.
- DUBY, J. E. 1869. Choix de Cryptogames exotiques nouvelles ou mal connues. *Mem. Soc. Phys. Hist. Nat. Genève* 20: 1-14. + Plates. 2nd. pt.
- FRYE, T. C. 1948. *Atrichum oerstedianum*. *Bryologist* 51: 242-246.
- AND M. W. DUCKERING. 1948. *Atrichum polycarpum*. *Bryologist* 51: 170-174.
- GEHEEB, A. 1907. Les *Splachnum luteum* Montin et *rubrum* Montin, ont-ils été jamais observés en Mexique? *Revue Bryol.* 34: 71-73.
- GRIFFIN, D., III. 1972. El musgo tropical *Prionodon*: Notas taxonómicas y fitogeográficas. pp. 56-57 in "I Congreso Latinoamericano, V Mexicano de Botánica: Resúmenes". Sociedad Botánica de México.
- GROLLE, R. 1962. Monographie der Lebermoosgattung *Leptoscyphus* Mitt. *Nova Acta Leopold.* 25: 1-143.
- HEGEWALD, E. 1974. Beitrag zur Moosflora Perus. I. *Bryomanginia saint-pierrei* - neu für Südamerika. *Bryologist* 77: 641-643.
- HERZOG, T. 1912. Musci. In Ross, H. Contributions à la flore du Mexique avec la collaboration de spécialistes. *Mem. Soc. Cientif. "Antonio Alzate"* 32: 173-175.
- IWATSUKI, Z. 1958. Correlation between the moss floras of Japan and of the southern Appalachians. *Jour. Hattori Bot. Lab.* 20: 304-352.
- KUWAHARA, Y. 1973. Further notes on the production of vegetative thallus structures by female involucre of *Metzgeria* and new species of *Metzgeria*. *Bryologist* 76: 566-571.

- LAL, M. AND M. K. CHANDRASEKHARA MEUN. 1971. *Physcomitrium delicatulum* new to the moss flora of India. Bryologist 74: 51-54.
- LEAVENWORTH, W. C. 1946. A preliminary study of the vegetation of the region between Cerro Tancítaro and the Río Tepalcatepec, Michoacán, Mexico. Amer. Midl. Nat. 36: 137-206.
- MANUEL, M. G. 1972. Additions to the moss flora of Mexico. Bryologist 75: 77-79.
- 1973. Additions to the moss flora of Mexico. II. Bryologist 76: 450-451.
- 1973. Studies in the Cryphaeaceae II. A review of the monotypic genus *Dendropogonella* Britt. Bryologist 76: 521-527.
- 1973. A second report for *Drummondia pursellii* Vitt & Crum. Bryologist 76: 560.
- 1974. A revised classification of the Leucodontaceae and a revision of the subfamily Alasioideae. Bryologist 77: 531-550.
- MILLER, N. G. AND D. H. VITT. 1970. Additional bryophytes from Sinkholes in Alpena County, Michigan, including *Orthotrichum pallens* new to eastern North America. Michigan Bot. 9: 87-94.
- NORRIS, D. H. 1969. A small collection of bryophytes from Nayarit State, Mexico. Bryologist 72: 522-525.
- NYHLÖM, E. 1971. Studies in the genus *Atrichum* P. Beauv. A short survey of the genus and the species. Lindbergia 1: 1-33.
- PÉREZ GARCÍA, B. 1970. Consideraciones sobre el ciclo biológico de *Phaeoceros laevis carolinianus* Proskauer. (Anthocerotaceae, Bryophyta). Tesis Profesional. Fac. Ciencias, U.N.A.M. México, D. F.
- PROCTOR, V. W. 1972. The genus *Riella* in North and South America: Distribution, Culture and Reproductive isolation. Bryologist 75: 281-289.
- PURSELL, R. A. 1971. Nomenclatural notes on American mosses. Bryologist 74: 371-373.
- AND W. D. REESE. 1970. Phytogeographic affinities of the mosses of the Gulf Coastal Plain of the United States and Mexico. Jour. Hattori Bot. Lab. 33: 115-152.
- REESE, W. D. 1966. *Barbella pendula* (Sull.) Fleisch., a review of its distribution and comments on related species. Bryologist 69: 208-213.
- 1974. *Syrrhopodon quintasii* in the Americas. Bryologist 77: 242-243.
- ROBINSON, H. 1970. A revision of the moss genus *Trichostomopsis*. Phytologia 20: 184-191.
- AND C. DELGADILLO M. 1973. *Neosharpiella*, a new genus of musci from high elevations in Mexico and South America. Bryologist 76: 536-540.

- AND F. D. BOWERS. 1974. A new species of *Oreoweisia* from Mexico. *Phytologia* 29: 114-115.
- SCHIMPER, W. P. 1843. *Dendropogon* (Baumbart), eine Gattung der Laubmoose. *Bot. Zeit. (Berlin)* 1: 377-381.
- SCHORNHERST, R. O. 1943. Phytogeographic studies of the mosses of Northern Florida. *Amer. Midl. Natur.* 29: 509-532.
- SHARP, A. J. 1938. Tropical bryophytes in the southern Appalachians. *Ann. Bryol.* 11: 141-144.
- 1939. Taxonomic and ecological studies of Eastern Tennessee Bryophytes. *Amer. Midl. Nat.* 21: 267-354, i-vii.
- SMITH, G. L. 1969. *Psilopilum mexicanum* sp. nov. *Phytologia* 18: 401-402.
- SNIDER, J. A. AND F. D. BOWERS. 1974. *Archidium*, a moss genus new to Mexico. *Bryologist* 77: 639-641.
- STEELE, W. C. 1938. *Enthostodon wigginsii*, a new species from southern Arizona. *Bryologist* 41: 36-40.
- 1945. Some North American mosses of doubtful antecedents. *Revue Bryol. Lichénol.* 15: 1-4.
- 1953. Preliminary report on the bryology of the Sefton-Stanford Expedition to the Gulf of California. 1952. *Asa Gray Bull. N. S.* 2: 93-95.
- AND D. E. CHAPMAN. 1946. Mosses of El Salvador. *Jour. Washington Acad. Sci.* 36: 219-225.
- STEPHAN, F. 1909. Hepaticae mexicanae novae récoltées par le Dr. Pringle de Burlington. *Revue Bryol.* 36: 138-140.
- 1912. Hepaticae *In* Ross, H. Contributions à la flore de Mexique avec la collaboration de spécialistes. *Mem. Soc. Cientif. "Antonio Alzate"* 32: 172-173.
- STOTLER, R. 1969 (1970). The genus *Frullania* subgenus *Frullania* in Latin America. *Nova Hedwigia* 18: 397-555, pl. 1-38.
- SWAILS, L. F. JR. 1970. The genus *Porella* in Latin America. *Nova Hedwigia* 19: 201-291.
- THÉRIOT, L. 1921. Reliquiae Delessertianae. Mousses du Mexique. *Soc. Havraise d'Etudes Diverses, Le Havre*, pp. 8-10.
- VITT, D. H. AND H. A. CRUM. 1968. A New species of *Drummondia* from Mexico. *Bryologist* 71: 117-119.
- , 1970. *Grouiella tomentosa* new to the United States. *Bryologist* 73: 145-149.
- 1972. A monograph of the genus *Drummondia*. *Canad. Jour. Bot.* 50: 1191-1208.

- 1973. A revisionary study of the genus *Macrocoma*. Rev. Bryol. Lichénol. 39: 205-220.
- WAGNER, K. A. 1951. The Neckeraceae of North America. Univ. of Mich. Doctoral Dissertation Series Publ. No. 2665. Ann Arbor, Mich.
- 1952. Notes on the Neckeraceae. I. New names and new species. Bryologist 55: 143-147.
- WATSON, S. 1876. Botanical Contributions. Proc. Amer. Acad. Arts & Sci. n.s. 3: 105-148.
- 1883. Contributions to American botany. I. List of plants from southwestern Texas and northern Mexico, collected chiefly by Dr. E. Palmer in 1879-80. Proc. Amer. Acad. Arts & Sci. n.s. 10: 96-191.
- WELCH, W. 1967. Hookeriaceae species and distribution in North and Central America and West Indies. Proc. Ind. Acad. Sci. 77: 351-356.
- 1971. *Lepidopilum subtortifolium* Bartr. in North America: Mexico. Bryologist 74: 212-213.
- 1972. Hookeriaceae: North America and West Indies, additions and appendix. Bryologist 75: 456-461.
- WILLIAMS, R. S. 1912. The genus *Clastobryum* Doz. and Molk. in America. Bryologist 15: 31.
- 1913. The genus *Husnotiella* Cardot. Bryologist 16: 25.
- 1919. The genus *Desmatodon* in North America. Bull. Torrey Bot. Club 46: 207-220 + pl. 11.
- 1922. *Brachymenium condensatum* sp. nov. Bryologist 26: 2-3.
- ZANDER, R. H. 1969. Revision of the genus *Leptodontium* (Musci) in the New World. Ph. D. dissertation. Duke University.
- 1972. Revision of the genus *Leptodontium* (Musci) in the New World. Bryologist 75: 213-280.
- 1973. El género *Amphidium* antes desconocido en México. Misc. Bryol. Lichénol. 6: 96-97.